

ModularT 7 for every occasion, for every room



ModularT 7

The Game Changer - new stages!

Continuing the successful story of ModulartT started in 2020, we proudly announce that this journey continues to reach new stages:

- There are new designs inspired by modern way of living and carefully chosen according to end consumers wishes!
- We are introducing improved visual aspect of our floorings, based on unique combination of the new matt PU coating and material embossing
- Our collection is now available in more various sizes, depending of the design: from regular size of wooden strips, to extra-long planks and regular tiles in new, refreshing sizes to amazingly large tiles

The most important thing is that we kept all the main quality performances on the highest level - excellent dimensional stability, simple maintenance, water resistance and good durability together with significant impact sound reduction as our advantages!

SUMMARY


6
7
9
10
92
94
95

SUSTAINABLE SOLUTION 1. Phthalate free We selected phthalate freeplasticizers approved for food contact containers, which can also be used for toys intended to be placed in the mouth by children. This way, we offer our clients more comfortable, healthy and people-friendly indoor spaces, keeping high performance and design experience. 2. VOC ≤100µg/m³ Optimal Indoor Air Quality *TVOC AT 28 DAYS 3. 100% recyclable 4. Renewable electricity Acting on climate change is an imperative for all of us, and at Tarkett we're accelerating our efforts in the areas where we can make the biggest positive impact. We produce with 100% electricity from renewable resources. We focus relentlessly on adhering to the principles of a circular economy, continually working to reduce the impact of our products at every stage of their life cycle

10 LAYER construction for HIGH performances

Durability: Very resistant and durable floor, intended for commercial areas with high frequency.

Multiple glass fiber and glass grid reinforcement (PATENT PENDING, filed under no. EP20196372.5 and RU2019129023) for great dimensional stability, several times better than most products on market have. Thanks to innovative construction, ModularT is flexible enough and easier for manipulation during installation.





New UV lacquering brings more matt natural look to floor surfaces with significately less shiny appearences, when looking from opposite side of each light sources such as window pannels or any kind of outsource lights.

Additional protective layer on floor covering, which keeps lower layers of the product clean, provides excellent maintenance all the time.



Water resistant material.



NEW MATT

NATURAL

VISUAL ASPECT

OLD VISUAL

ASPECT

shiny from "sharp"

angle view



Construction that provides good acoustic insulation, two times better than regular compact LVT.



-



LOOK & STYLE

Collection ModularT has been created after researching latest trends in ceramics and wood floor coverings. Its designs are suitable for modern architecture and for those who like simplicity and uniqueness, at the same time paying attention to details. We created this collection led by idea of achieving excellence.



DESIGN FOR EXCELLENCE

ModularT collection is a selection of modern designs, created with the use of classic materials. Different kinds of designs, are timeless classics with natural imperfections, fresh colors that create modern look of living spaces.

Contemporary oak designs, perfect for any use, from commercial to residential spaces, designed in order to satisfy those who search for classic looks, as well as those who prefer Scandinavian minimalism. Beton design, was a sophisticated project with carefully selected combinations of colors, compatible with all wooden designs. Different grey tones in collection are mixed with nuances of brown and beige color, which all together represent a solution for urban design spaces. Various colors seen in Stucco, Tisse, Cubo and Texton will ensure even the most demanding needs.

Charmly Designs from ModularT 7 can fully support different characteristics and personalities!

9

OAK STREET

This design brings together traditional and modern, with various possibilities thanks to multicolour nuances. With its modern appearance, and cheerful colour nuances inside each board, this design gives impressive looks to any space. Rich selection of colouristic solutions enables complete transformation of this design in different versions.

OAK ORIGIN

Natural structure of wood exudes freshness and energy, leaving impression of traditional, classic and elegant oak. Rich and massive structure is in perfect harmony with enhanced shapes and texture. Coloured in calm and flat aspect with darker effects around natural shapes of tree rings, make this design unique. Use of natural colours in this design is very important, since they create atmosphere and impression of natural environment.

OAK TREND

Authentic, old wood structure, which passed the test of time and became icon of design itself. Remaining trendy through the years, classic wood with enhanced brush effect brings in the spirit of nature. Stories can be told on this floor. Colour pallette is inspired by Scandinavian style, which, along with its simplicity, expresses warmth, personality and familiarity.

OAK PURE

From traditional to classic, Oak Pure design has the rougher look of wood structure with its detail and depth of texture. The use of a bit rustic wood treatments creates dramatic wood design with highlighted cathedrals in a warm, inviting, and dynamic natural tone.

OAK ELEGANT

A perfect balance between nature and design is Oak Elegant. It has been designed to bring the artistry of nature with a soft texture and modern colour shades that mimic real elegant and contemporary oak look. Oak Elegant plank design has smoother and subtle structure.

OAK MODERN

Simplicity of natural wood is back again, since classic is never out of trend. Warmness and richness provides comfortable look for space, while oak touch gathers both vintage and modern look. Due to the special design development, pattern repetition has been significantly decreased comparing to regular wood designs. The chance of seeing two planks with same pattern is more than twice lower.



CUBO

Specific details with differences in general appearance of final look and texture, are enchaced with carefully choosen colors' pallet. Design is irresistable when we talk about its energy, unique beauty and various patina effects. With its details, sandy structure and cheerfully effect, it creates marvelous look and impression. Great power with specific energy to every space is guaranteed with this design. Various natural materials are key for endless solutions per all kind of spaces.

STUCCO

Artistic touch with simplicity of natural moment found in stone, presents minimalism in its best way, while neutral pallet of colors, open various possibilities of implementation! Cold stone insipired us to create this charmly color, which design the atmosphere for industrial look. Design is very attracive and bravely presents endless and powerful beauty. Limits are created only by us!

TEXTON


A clean, abstract appearance that draws inspiration from a natural material, cement, translated and stylized into a design feels so organic. The understanding of "less is more" is the attitude behind this design.

TISSE

Simple design created as a must for this collection! Endless beauty, clean pattern and very attractive look are always a great solution for final choice!

BETON

Concrete design, leaves strong impression with its simplicity. Without excess accents, pure perfection only. Designed and coloured with style, it is ideal for creating minimalist interior design.








OAK ELEGANT White 257021059/20x120cm


Smooth texture of oak wood in gentle white tones





Warm beige nuance with cold ash effect








Elegant texture of oak wood seen in gentle white tones

257021043 / 18x200 cm 257021046 / 16x100 cm OAK MODERN Cold Beige





Soft visual finish of oak design in sand tones creates cozy and warm interior

257021060 / 20x120cm OAK ELEGANT Sand






Fresh and inspiring tone when it comes to spaces!




OAK MODERN Beige 257021048/16x100cm







OAK ELEGANT Warm Beige



Soft and warm tones for cozy and pleasant atmosphere








257021063 / 20x120cm OAK ELEGANT Nature








OAK MODERN Nature



Tradional yellow color in warm honey tone



Beige Stone 257021056/20x120cm OAK STREET



Medium cool pistachio brown



Cool and fresh tone in modern design

OAK ELEGANT Stone Beige







OAK STREET Cold Brown 257021057/20x120cm



Medium nuance of brown colour





OAK ORIGIN Nature 257021055/20x120cm





Natural brown tone in rich wood structure



OAK ORIGIN Light Brown 257021054/20x120cm





Original tone and design for complet transformation of interior



OAK MODERN Brown

257021041 / 18x200 cm 257021044 / 16x100 cm






Deep texture in brown tones, with beautiful natural lines of oak wood



OAK PURE Brown 257021066/20x120cm







OAK ELEGANT Cold Brown 257021065/20x120cm






OAK TREND Cold Brown 257021052/20x120cm




Cold brown nuance




Stylish and inviting design provides attraction and endless beauty


OAK MODERN Stone Brown 257021050/16x100cm







OAK ELEGANT Warm Grey






OAK MODERN Light Grey 257021047/16x100cm





Soft, greyish tones for nice atmosphere in space




OAK STREET Grey 257021058/20x120cm





Dusty light grey nuance




Classy design for trendy spaces



OAK MODERN Greige 257021049/16x100cm








OAK TREND Graphite 257021053 / 20x120cm



Graphite black nuance

CUBO



CUBO Cold Beige 257022063 / 48,5x48,5cm










CUBO Beige 257022064 / 48,5x48,5cm



Warm beige nuances



CUBO Greige 257022066/48,5x48,5cm




Soft touch of grey



Original and effective tone for modern commercial environment

CUBO Grey 257022065 / 48,5x48,5cm






Medium brown color can be easily combined with natural tones

CUBO Brown 257022067 / 48,5x48,5cm






CUBO Dark Grey 257022068 / 48,5x48,5cm



Graphite grey nuance always a good choice

STUCCO



STUCCO Cold Beige 257022069/50x100cm

Calming tones of cold but bravely enhanced with warmness of beige










Beige nuance will make your ambient perfect

STUCCO Beige 257022070 / 50x100cm






STUCCO Grey 257022071 / 50x100cm











STUCCO




Grey tones will be your inspiration for further decoration



257022072 / 50x100cm STUCCO Warm Grey




BETON



BETON Cold Beige 257022075/66,5x66,5cm








257022078 / 66,5x66,5cm **BETON** Original



Light grey concrete colour




Light grey with warm brown effect



BETON Stone Brown 257022079 / 66,5x66,5cm








BETON Grey 257022077 / 66,5x66,5cm



Classic concrete colour



BETON Dark Grey 257022074 / 66,5x66,5cm




Graphite grey nuance


TISSE




TISSE Light Brown 257022073 / 66,5x66,5cm

Charmly brown brings energy to every space








Clean, pure and abstract contemporary design

TEXTON Dark Grey 257022074 / 66,5x66,5 cm





- The subfloor must be level, flat, clean, free from marks, sound, dry, solid, hard, smooth and not exposed to moisture.
- The preparation/dryness of the subfloor and installation procedures should all be in accordance with the current relevant standard within the country of use. Absorbency has to be regulated when needed and subfloor protected from humidity rising.
- Use the same shade number for each continuous surface.
- For wood pattern, avoid installation of LVT with the same design next to each other.
- Let the flooring acclimatise and relax at least 24h at room temperature (minimum 15°C or in accordance with current relevant country standard) before installation.
- Before starting to install, determine the type of laying taking into account the shape of the room and the design to be laid.
- The cut tiles closest to the walls should be more than 10 cm wide; at doorways and corners



INSTALLATION:

- Tiles should be laid in a checkerboard pattern and installation should start from the center of the room, taking into consideration the wet bonding method when necessary.
- 2 Stagger each row of planks to ensure that the end joints do not coincide with the previous row installed.
- Use only adhesives recommended by Tarkett (list available on our website). Always follow the adhesive manufacturer's instructions.
- Apply about 250 g/m² using the recommended trowel (TKB A1 or A2 according adhesive specification) and recommended open time.
- The flooring should be pressed immediately with a cork press and rolled in both directions with a heavy roller after complete installation.
- Wait 48h before allowing any foot traffic and 72h for moving of furniture.

 $_{
m 2}$

ModularT 7 LUXURY VINYL TILES

Type of flooring	ISO (EN) 10582	Compact resilient floor covering
CE certification	EN 14041:2004 /AC:2006 (€	Yes
Classification	ISO 10874 (EN 685)	Commercial: 34 Industrial: 43
TECHNICAL CHARACTERISTICS	STANDARD	ModularT 7
Total thickness	ISO 24346 (EN 428)	2,5 mm
Wear layer thickness	ISO 24340 (EN 429)	0,7 mm
Bevelled edges		Yes
Total weight	ISO 23997 (EN 430)	3200 g/m ²
Abrasion (wear layer binder content)	ISO 10582	Туре І
Form of delivery	ISO 24342 (EN 427)	Plank 16 x 100 cm, 27 planks/box = 4,32m² Plank 20 x 120 cm, 19 planks/box = 4,35m² Plank 18 x 200 cm, 12 planks/box = 4,32m² Tiles 48,5 x 48,5 cm, 18 tiles/box = 4,32m² Tiles 50 x 100 cm, 8 tiles/box = 4,432m² Tiles 66,5 x 66,5 cm, 11 tiles/box = 4,86m²
TECHNICAL PERFORMANCES	STANDARD	ModularT 7
Dimensional stability	ISO 23999 (EN 434)	≤ 0,10 %
Reaction to fire	EN 13501-1	Bfls1 on concrete substrate
Residual indentation	ISO 24343-1 (EN 433)	≤ 0,10 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 (EN 425)	No damage
Curl resultant to heat	ISO 23999 (EN 434)	≤ 2 mm
Thermal resistance	ISO (EN) 12524	0,02 - 0,03 m² K/W
Acoustic insulation	ISO (EN) 717-2	6 dB
Walking noise	NF S 31- 074	L n,e,w = 76 dB
Light fastness	ISO (EN) 105-B02	7/8
Slip resistance	EN 13893 DIN 51130	μ ≥ 0,3 R9/R10 depending on embossing typ
Electrical properties	EN 1815 EN 1081	≤ 2 kV ≤ 1*10° Ohm
Fungi and bacteria resistance	EN ISO 846:2019	1a
Squareness and straightness	ISO 24342	squareness and straightness Deviation allowed at any point \leq 400 mm_ \leq 0.25 mm \times 400 mm_ \leq 0.35 mm \times 400 mm (intended for heat welding) \leq 0.50 mm
MODULARITY O Tarkett Manufactured by: Industrijska zona 14 21400 Bačka Palanka SERBIA SERBIA MATER WATER RESISTANCE O Tarkett O Tarkett O Tarkett O Tarkett	PHTHALATE FREE Technology 100% recyclable PHTHALATE FREE Technology Optimal Indoor Air Quality *TVOC AT 28 DAYS TVOC AT 28 DAYS	ECO PLATFORM VERIFIED RENEWABLE ENERGY



NOTES

95

94



